

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Dalby

report date 26/06/2019

Yarding 5939  
 Change 509

comparison date 19/06/2019

Numbers increased by 509 head to 5939, and included in the line up were 219 head from NSW, and 710 from far Western Queensland. Cows continued to dominate the grown cattle section along with a fair sample of bullocks. Buyer representation was generally good and all were operating. Competition on good quality light weight cattle was generally good, however drought affected poor quality lines were hard to sell. Medium weight yearling steers to feed experienced strong support for the quality penned, however heavy weights to feed improved in price. Light weight yearling heifers were well supplied, and sold to strong competition from restockers and backgrounders. Heavy weight yearling heifers to feed and the trade sold to a dearer trend. The younger end of the heavy grown steers and bullocks were in demand from export processors. The large supply of cows improved in price, with plain condition classes 10c dearer, and good heavy cows gained 15c/kg.

Steer calves returning to the paddock made to 252.2c to average 229c, and heifer calves made to 232.2c with most around 181c/kg. Lightweight yearling steers sold to restockers at an average of 248c with the occasional pen reaching 282.2c, and poor quality lines averaged 193c/kg. Medium weight yearling steers to feed averaged 276c and made to 286.2c/kg. A large sample of heavy weight yearling steers to feed averaged 289c, with some well bred lines reaching 314.2c/kg. Light weight yearling heifers mostly sold around 210c, with a few to 232.2c/kg. Medium weight yearling heifers to feed averaged 252c and made to 269.2c/kg. Heavy weight yearling heifers to feed averaged 258c and slaughter classes averaged 267c and made to 277.2c/kg.

Heavy grown steers averaged 295c and the bullock portion averaged 300c and made to 309.2c/kg. Medium weight 2 score cows averaged 179c and made to 189.2c/kg. Good heavy cows made to 228.2c with a large sample at 217c/kg. Heavy bulls made to 277.2c/kg.

Category	Sale Weight	Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head	
						Low	High	Avg	Change	Low	High	Avg	Low	High
<b>Calves</b>														
80+	RS	C	2	94	216.2	252.2	228.6	9	-	-	-	303	467	391
	RS	D	1	11	110.0	115.0	112.3	N/Q	-	-	-	138	149	144
	RS	D	2	99	146.2	232.2	180.9	N/Q	-	-	-	180	347	246
				204	110.0	252.2			0	0		138	467	
<b>Yearling Steer</b>														
0-200	RS	D	1	2	84.2	184.2	134.2	N/Q	-	-	-	114	341	227
	RS	D	2	13	194.2	194.2	194.2	N/Q	-	-	-	359	359	359
200-280	PR	C	2	8	200.0	200.0	200.0	N/Q	364	364	364	550	550	550
	RS	C	2	308	210.0	282.2	248.4	-4	-	-	-	447	738	597
	RS	D	2	88	150.0	216.2	193.0	-22	-	-	-	353	501	427
280-330	FD	C	2	92	233.2	260.0	245.8	-7	-	-	-	673	780	731
	FD	D	2	1	182.2	182.2	182.2	N/Q	-	-	-	547	547	547
	RS	C	2	133	219.2	280.2	266.0	N/C	-	-	-	658	841	795
	RS	D	2	5	202.2	202.2	202.2	N/Q	-	-	-	607	607	607
330-400	FD	C	2	276	242.2	286.2	276.5	-9	-	-	-	848	1102	1,014
	FD	D	2	18	220.0	236.2	225.1	7	-	-	-	806	862	849
	RS	C	2	6	290.2	290.2	290.2	7	-	-	-	1016	1016	1,016
	RS	D	2	7	144.2	144.2	144.2	N/Q	-	-	-	483	483	483
400+	FD	C	2	345	269.2	314.2	289.8	19	-	-	-	1148	1429	1,294
	FD	C	3	5	289.2	289.2	289.2	-23	-	-	-	1258	1258	1,258
	FD	D	2	19	230.2	256.2	248.6	N/Q	-	-	-	978	1089	1,057
	PR	C	3	51	282.2	305.0	288.6	N/Q	513	555	525	1312	1434	1,385
				1377	84.2	314.2			364	555		114	1434	

### Yearling Heifer

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-200	RS	D	1	9	60.2	80.0	71.2	N/Q	-	-	-	81	108	96
	RS	D	2	6	150.0	150.0	150.0	N/Q	-	-	-	203	203	203
200-280	PR	C	2	172	170.0	232.2	205.6	11	315	430	381	438	615	530
	PR	D	2	1	156.2	156.2	156.2	N/Q	289	289	289	414	414	414
	PR	E	1	4	60.0	60.0	60.0	N/Q	111	111	111	141	141	141
280-330	RS	C	2	566	178.2	225.2	209.9	1	-	-	-	419	584	517
	FD	C	2	54	210.2	258.2	239.5	20	-	-	-	631	839	753
	FD	C	3	25	244.2	244.2	244.2	N/Q	-	-	-	794	794	794
	FD	D	2	2	186.2	186.2	186.2	N/Q	-	-	-	559	559	559
	PR	C	2	55	190.2	228.2	205.6	-18	352	423	381	571	685	617
	PR	C	3	15	240.2	240.2	240.2	N/Q	445	445	445	781	781	781
	RS	C	2	5	210.2	210.2	210.2	-44	-	-	-	631	631	631
330-400	RS	D	2	4	170.2	170.2	170.2	N/Q	-	-	-	511	511	511
	FD	C	2	88	212.2	255.0	235.7	-17	-	-	-	770	982	849
	FD	C	3	132	245.2	269.2	251.9	-12	-	-	-	834	969	884
	FD	D	2	12	192.2	192.2	192.2	N/Q	-	-	-	702	702	702
	PR	C	2	14	220.0	240.0	231.4	20	407	444	429	770	924	858
	PR	C	3	32	240.0	245.2	242.3	4	444	454	449	876	936	903
400+	FD	C	2	63	206.2	253.2	242.9	-19	-	-	-	876	1076	1,034
	FD	C	3	112	240.0	270.2	258.0	8	-	-	-	1020	1201	1,152
	PR	C	3	131	227.2	277.2	267.1	22	421	513	495	1051	1472	1,228
				1502	60.0	277.2			111	513		81	1472	
Grown Steer														
400-500	FD	C	2	19	240.2	268.2	260.5	-15	-	-	-	1063	1207	1,168
	FD	C	3	12	268.2	268.2	268.2	-12	-	-	-	1247	1247	1,247
	FD	D	2	3	185.2	224.2	211.2	N/Q	-	-	-	787	953	898
	PR	C	3	41	257.2	285.2	267.3	-10	468	519	486	1140	1412	1,270
500-600	PR	C	3	56	260.2	287.2	275.6	-4	473	522	501	1387	1673	1,524
	PR	C	4	94	289.2	310.0	295.0	3	516	554	527	1547	1768	1,660
	PR	D	3	1	253.2	253.2	253.2	N/Q	460	460	460	1431	1431	1,431
600-750	PR	C	4	136	286.2	309.2	300.6	22	511	552	537	1858	2062	1,935
				362	185.2	310.0			460	554		787	2062	
Grown Heifer														
0-540	FD	D	2	39	150.2	200.0	168.8	-20	-	-	-	608	754	700
	PR	C	3	4	255.2	255.2	255.2	7	482	482	482	1187	1187	1,187
	PR	C	4	4	275.2	275.2	275.2	27	519	519	519	1238	1238	1,238
	PR	D	2	9	192.2	218.2	210.4	58	400	455	438	881	1036	930
	PR	D	3	6	229.2	240.2	232.9	N/Q	432	453	439	1031	1117	1,060
	PR	E	1	4	80.0	80.0	80.0	N/Q	174	174	174	348	348	348
	RS	D	2	5	100.0	100.0	100.0	N/Q	-	-	-	350	350	350
				71	80.0	275.2			174	519		348	1238	
Manufacturing Steer														
540+	PR	C	4	35	272.2	289.0	280.8	N/Q	495	525	511	1769	2054	1,873

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	3	1	250.2	250.2	250.2	N/Q	455	455	455	1626	1626	1,626
				36	250.2	289.0			455	525		1626	2054	
Cows														
0-400	PR	D	1	95	102.2	143.2	123.7	-15	232	325	281	332	573	493
	PR	D	2	38	140.2	151.2	147.9	N/Q	305	329	322	512	605	588
	PR	E	1	40	44.2	100.2	65.1	-40	100	228	148	144	401	241
	RS	D	1	13	100.0	127.2	110.5	-32	-	-	-	400	489	417
400-520	PR	D	1	201	120.0	188.2	146.6	9	273	409	333	522	875	652
	PR	D	2	309	160.2	189.2	178.8	10	348	411	389	697	946	823
	PR	D	3	141	161.2	198.2	191.2	5	350	404	395	725	991	928
	PR	D	4	69	200.0	216.2	207.3	5	392	424	407	870	1051	978
	PR	E	1	1	73.2	73.2	73.2	-59	166	166	166	318	318	318
	RS	D	1	69	137.2	164.2	154.1	-7	-	-	-	597	745	678
	RS	D	2	21	160.0	165.2	165.0	-24	-	-	-	696	768	765
	RS	E	1	3	100.2	100.2	100.2	N/Q	-	-	-	436	436	436
520+	PR	D	2	108	180.2	195.2	190.6	N/Q	386	424	412	982	1089	1,031
	PR	D	3	132	190.2	205.2	199.0	21	388	419	406	1018	1219	1,105
	PR	D	4	207	205.2	228.2	217.1	15	402	447	426	1118	1450	1,262
	PR	D	5	2	198.2	198.2	198.2	13	404	404	404	1060	1060	1,060
				1449	44.2	228.2			100	447		144	1450	
Bulls														
0-450	FD	C	2	12	220.0	256.2	232.1	-50	-	-	-	660	1089	882
	FD	C	3	9	258.2	280.2	272.9	N/Q	-	-	-	1162	1261	1,228
	FD	D	2	1	252.2	252.2	252.2	N/Q	-	-	-	1072	1072	1,072
	RS	C	2	10	202.2	211.2	206.2	N/Q	-	-	-	415	634	505
	RS	D	2	28	154.2	200.2	188.5	N/Q	-	-	-	369	595	416
450-600	FD	C	3	4	267.2	276.2	274.0	N/Q	-	-	-	1242	1340	1,315
	PR	C	2	11	211.2	230.2	226.7	N/Q	384	419	412	1109	1116	1,115
	PR	C	3	16	248.2	266.2	258.8	N/Q	451	484	471	1204	1291	1,255
600+	FD	D	2	2	144.2	144.2	144.2	N/Q	-	-	-	937	937	937
	PR	C	2	8	188.2	224.2	206.6	-51	342	408	376	1223	1401	1,329
	PR	C	3	73	215.2	277.2	256.2	-7	384	495	458	1375	2888	1,870
	PR	D	1	1	126.2	126.2	126.2	N/Q	234	234	234	789	789	789
	RS	C	3	9	272.2	272.2	272.2	N/Q	-	-	-	1769	1769	1,769
				184	126.2	280.2			234	495		369	2888	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

